

# Don't Let Head Lice Bug You!

## What You Need to Know



1

### Any child can get head lice.

- It doesn't matter how clean your hair or home may be.
- It doesn't matter where children and families live, play, or work.



2

### Check with your child's doctor.

- The most effective way to treat head lice is with head lice medicine.
- Head lice medicine should only be used when it is certain that your child has head lice.
- Ask your child's doctor about treatment options.



3

### Treat it right away!

- Use the head lice medicine your doctor prescribes.
- Always follow the directions exactly as written.
- Never let children apply the medicine.
- Check with your doctor if a second treatment is needed.

Headfirst! Lice Lessons educational initiative is made possible through a collaboration with Sanofi Pasteur

Reproduced with permission from the American Academy of Pediatrics  
COM 11589

SANOFI PASTEUR 

  
National  
Association of  
School Nurses

# Head Lice 101

What You Should Know About Head Lice

## Overview

Head lice are a common community problem. An estimated 6 to 12 million infestations occur each year in the United States, most commonly among children ages 3 to 11 years old. Children attending preschool or elementary school, and those who live with them, are the most commonly affected.<sup>1</sup>

Head lice are not dangerous.<sup>1</sup> They do not transmit disease, but they do spread easily, making it a community issue.<sup>1</sup> Additionally, despite what you might have heard, head lice often infest people with good hygiene and grooming habits.<sup>2,3</sup> Your family, friends or community may experience head lice. It's important to know some basics, including how to recognize symptoms and what to do if faced with an infestation.

## What Are Head Lice?

Head lice are tiny, wingless insects that live close to the human scalp. They feed on human blood.<sup>1</sup> An adult louse is the size of a sesame seed. Baby lice, or nymphs, are even smaller. Nits are the tiny, teardrop-shaped lice eggs. They attach to the hair shaft, often found around the nape of the neck or the ears. Nits can look similar to dandruff, but cannot be easily removed or brushed off.<sup>1</sup>

## Fast Facts

- An estimated 6 to 12 million infestations occur each year among U.S. children 3 to 11 years of age<sup>1</sup>
- Head lice often infest people with good hygiene<sup>2,3</sup>
- Head lice move by crawling; they cannot jump or fly<sup>1</sup>
- Head lice do not transmit disease, but they do spread easily<sup>1</sup>
- If you or your child exhibits signs of an infestation, it is important to talk to your doctor to learn about treatment options

## How Are Head Lice Spread?

- Head lice move by crawling and cannot jump or fly.<sup>1</sup>
- Head lice are mostly spread by direct head-to-head contact – for example, during play at home or school, slumber parties, sports activities or camp.<sup>1</sup>
- It is possible, but not common, to spread head lice by contact with items that have been in contact with a person with head lice, such as clothing, hats, scarves or coats, or other personal items, such as combs, brushes or towels.<sup>1</sup>
- Head lice transmission can occur at home, school or in the community.<sup>1</sup>

## What Are the Signs & Symptoms of Infestation?


Signs and symptoms of infestation include<sup>1</sup>:

- **Tickling** feeling on the scalp or in the hair
- **Itching** (caused by the bites of the louse)
- **Irritability** and difficulty sleeping (lice are more active in the dark)
- **Sores on the head** (caused by scratching, which can sometimes become infected)


Finding a live nymph or adult louse on the scalp or in the hair is an indication of an active infestation. They are most commonly found behind the ears and near the neckline at the back of the head.<sup>4</sup>



**NIT**



**Nymph**



**Full-Grown Louse**

### What If My Child Gets Head Lice?

If you suspect your child might have head lice, it's important to talk to a school nurse, pediatrician or family physician to get appropriate care. There are a number of available treatments, including new prescription treatment options that are safe and do not require nit combing. Other things to consider in selecting and starting treatment include:

- Follow treatment instructions. Using extra amounts or multiple applications of the same medication is not recommended, unless directed by healthcare professional.<sup>5</sup>
- Resistance to some over-the-counter head lice treatments has been reported. The prevalence of resistance is not known.<sup>6,7</sup>
- There is no scientific evidence that home remedies are effective treatments.<sup>8</sup>
- Head lice do not infest the house. However, family bed linens and recently used clothes, hats and towels should be washed in very hot water.<sup>4</sup>
- Personal articles, such as combs, brushes and hair clips, should also be washed in hot soapy water or thrown away if they were exposed to the persons with active head lice infestation.<sup>4</sup>
- All household members and other close contacts should be checked, and those with evidence of an active infestation should also be treated at the same time.<sup>4</sup>

### References

- <sup>1</sup> Centers for Disease Control and Prevention (CDC). Parasites: Lice: Head Lice: Frequently Asked Questions. [http://www.cdc.gov/parasites/lice/head/gen\\_info/faqs.html](http://www.cdc.gov/parasites/lice/head/gen_info/faqs.html). Accessed April 15, 2015.
- <sup>2</sup> Centers for Disease Control and Prevention (CDC). Parasites: Lice: Head Lice: Diagnosis. <http://www.cdc.gov/parasites/lice/head/diagnosis.html>. Accessed April 15, 2015.
- <sup>3</sup> Meinking T, Taplin D, Vicaria M. Infestations. In: Schachner LA, Hansen RC, eds. *Pediatric Dermatology*, 4th ed. Mosby Elsevier; 2011:1525-1583.
- <sup>4</sup> Centers for Disease Control and Prevention (CDC). Parasites: Head lice: Epidemiology And Risk Factors. <http://www.cdc.gov/parasites/lice/head/epi.html>. Accessed April 15, 2015.
- <sup>5</sup> Centers for Disease Control and Prevention (CDC). Parasites: Lice: Head lice: Treatment. <http://www.cdc.gov/parasites/lice/head/treatment.html>. Accessed April 15, 2015.
- <sup>6</sup> Burkhart CG. Relationship of treatment resistant head lice to the safety and efficacy of pediculicides. *Mayo Clin Proc*. 2004;79(5):661-666.
- <sup>7</sup> Meinking TL, Serrano L, Hard B, et al. Comparative in vitro pediculicidal efficacy of treatments in a resistant head lice population on the US. *Arch Dermatol*. 2002;138 (2):220-224.
- <sup>8</sup> Centers for Disease Control and Prevention (CDC). Parasites: Lice: Head lice: Treatment Frequently Asked Questions. [http://www.cdc.gov/parasites/lice/head/gen\\_info/faqs\\_treat.html](http://www.cdc.gov/parasites/lice/head/gen_info/faqs_treat.html). Accessed April 15, 2015.
- <sup>9</sup> Parison J, Canyon DV. Head lice and the impact of knowledge, attitudes and practices – a social science overview. In: *Management and Control of Head Lice Infestations*. UNI-MED, Bremen, Germany, 2010:103-109.
- <sup>10</sup> Gordon SC. Shared vulnerability: a theory of caring for children with persistent head lice. *J Sch Nurs*. 2007;23(5):283-292.
- <sup>11</sup> Gordon S. Management of head lice in school settings. Presented at the Florida Association of School Nurses conference, Orlando, FL, February 7, 2009.
- <sup>12</sup> National Association of School Nurses. Pediculosis management in the school setting. Position statement. January 2011. <http://www.nasn.org/PolicyAdvocacy/PositionPapersandReports/NASNPositionStatementsFullView/tabid/462/ArticleId/40/Pediculosis-Management-in-the-School-Setting-Revised-2011>. Accessed April 15, 2015.
- <sup>13</sup> Schoessler SZ. Treating and managing head lice: the school nurse perspective. *Am J Manag Care*. 2004;10(suppl 9):S273-S276.
- <sup>14</sup> Frankowski BL, Bocchini JA, Jr, Council on School Health and Committee on Infectious Diseases, American Academy of Pediatrics. Clinical report – head lice. *Pediatrics*. 2010;126(2):392-403.

### Myths & Facts About Head Lice

**Myth: Only dirty people get head lice.**

**Fact:** Personal hygiene or household or school cleanliness are not factors for infestation. In fact, head lice often infest people with good hygiene and grooming habits.<sup>2,3</sup>

**Myth: Head lice carry diseases.**

**Fact:** Head Lice do not spread diseases.<sup>1</sup>

**Myth: Head lice can be spread by sharing hairbrushes, hats, clothes and other personal items.**

**Fact:** It is uncommon to spread head lice by contact with clothing or other personal items, such as combs, brushes or hair accessories, that have been in contact with a person with head lice.<sup>1</sup>

**Myth: Head lice can jump or fly, and can live anywhere.**

**Fact:** Head lice cannot jump or fly, and only move by crawling. It is unlikely to find head lice living on objects like helmets or hats because they have feet that are specifically designed to grasp on to the hair shaft of humans. Additionally, a louse can only live for a few hours off the head.<sup>1</sup>

**Myth: You can use home remedies like mayonnaise to get rid of head lice.**

**Fact:** There is no scientific evidence that home remedies are effective treatments.<sup>8</sup> A healthcare provider can discuss appropriate treatment options, including prescription products.

## Fast Facts

- An estimated 6 to 12 million infestations occur each year among U.S. children 3 to 11 years of age<sup>1</sup>
- Head lice often infest people with good hygiene.<sup>2,3</sup>
- Head lice move by crawling; they cannot jump or fly<sup>1</sup>
- Head lice do not transmit disease, but they do spread easily<sup>1</sup>
- It is important to talk to your school nurse, pediatrician or family physician to learn about treatment options

Head lice often infest people with good hygiene and grooming habits.<sup>2,3</sup> Children in preschool or elementary school, and those who live with them, are the most commonly affected.<sup>1</sup>

You may see different forms of head lice when checking or treating your child: eggs, baby lice and adult lice. The eggs, also called nits, are tiny, tear-drop shaped eggs that attach to the hair shaft. They are often found around the nape of the neck or the ears. Nits may appear yellowish or white, and can look similar to dandruff. Nymphs, or baby lice, are smaller and grow to adult size in one to two weeks. Adult lice are the size of a sesame seed and tan to grayish-white.<sup>1</sup>

## How Did My Child Get Head Lice?

Head lice are wingless insects and cannot jump or fly. They move by crawling, and are mostly spread by direct head-to-head contact – for example, during play at home or school, slumber parties, sports activities or camp. It is also possible, but not common, to spread head lice by contact with clothing, such as hats, scarves, coats or other personal items, such as combs, brushes or towels.<sup>1</sup>

As you and your family deal with this uncomfortable but common issue, keep in mind that head lice infestations are not related to cleanliness and can occur in all socioeconomic groups.<sup>2,3</sup>

## My Child Has Head Lice. Now What?

If head lice are found in your child's hair or scalp, it's important to talk to your school nurse, pediatrician or family physician to get appropriate care. Not all people experience symptoms. Head lice can cause itching and lack of sleep (lice are more active in the dark).<sup>1</sup> There are a number of available treatments, including new prescription treatment options that are safe and do not require combing out nits from your child's hair. You may want to remove nits for aesthetic reasons. Other things to consider in selecting and starting treatment include:

- Follow treatment instructions. Using extra amounts or multiple applications of the same medication is not recommended, unless directed by a healthcare professional.<sup>4</sup>
- Resistance to some over-the-counter head lice treatments has been reported, but the prevalence of resistance is not known.<sup>5,6</sup>
- There is no scientific evidence that home remedies are effective treatments.<sup>7</sup>
- Family bed linens and recently used clothes, hats and towels should be washed in very hot water.<sup>4</sup>
- Personal articles, such as combs, brushes and hair clips, should also be washed and sanitized or thrown away if they were exposed to a person with head lice.<sup>4</sup>

All household members and other close contacts should be checked, and those with evidence of an active infestation should also be treated at the same time.<sup>4</sup>

## Myths & Facts About Head Lice

**Myth: Only dirty people get head lice.**

**Fact:** Personal hygiene or household or school cleanliness are not factors for infestation. In fact, head lice often infest people with good hygiene and grooming habits.<sup>2,3</sup>

**Myth: Head lice carry diseases.**

**Fact:** Head lice do not spread diseases.<sup>1</sup>

**Myth: Head lice can be spread by sharing hairbrushes, hats, clothes and other personal items.**

**Fact:** It is uncommon to spread head lice by contact with clothing or other personal items, such as combs, brushes and hair accessories that have been in contact with a person with head lice.<sup>1</sup>

**Myth: Head lice can jump or fly, and can live anywhere.**

**Fact:** Head lice cannot jump or fly; they only move by crawling. And it's highly unlikely to find head lice living on objects like helmets or hats because they have feet that are specifically designed to grasp on to the hair shaft of humans. Additionally, a louse can only live for a few hours without feeding on a human host.<sup>1</sup>

**Myth: You can use home remedies like mayonnaise to get rid of head lice.**

**Fact:** There is no scientific evidence that home remedies are effective treatments.<sup>7</sup> You should talk to your health care provider about treatment options, including prescription products that are currently available.